

L Number	Hits	Search Text	DB	Time stamp
-	0	WO-147296-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 10:04
-	2	WO-9939528-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 10:01
-	5	(TIA or EIA) adj3 IS-856	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 11:02
-	154	(wireless or cellular or (mobile or portal or portable) adj device) and IS-856	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 11:06
-	32	((wireless or cellular or (mobile or portal or portable) adj device) and IS-856) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 13:36
-	1	((wireless or cellular or (mobile or portal or portable) adj device) and IS-856) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) and session near5 configuration	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 11:09
-	413	(wireless or cellular or (mobile or portal or portable) adj device) and session near5 configuration	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 12:17
-	276	((wireless or cellular or (mobile or portal or portable) adj device) and session near5 configuration) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 13:38
-	1	((wireless or cellular or (mobile or portal or portable) adj device) and IS-856) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) and session near5 configur\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 11:12
-	4	((wireless or cellular or (mobile or portal or portable) adj device) and session near5 configuration) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) and session near5 configur\$6 with access adj terminal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 11:10
-	5	((wireless or cellular or (mobile or portal or portable) adj device) and session near5 configuration) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) and session with configur\$6 with access adj terminal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 11:11
-	276	((wireless or cellular or (mobile or portal or portable) adj device) and session near5 configuration) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) and session with configur\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 11:41
-	80	((wireless or cellular or (mobile or portal or portable) adj device) and session near5 configuration) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) and session with configur\$6) and (status or state or identification or ID or identity) near5 configur\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 11:37

-	10	(((wireless or cellular or (mobile or portal or portable) adj device) and session near5 configuration) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) and session with configur\$6) and (status or state or identification or ID or identity) near5 configur\$6) and (read\$3 or access\$3) near10 (status or state or identification or ID or identity) near5 configur\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 11:41
-	26	(((wireless or cellular or (mobile or portal or portable) adj device) and session near5 configuration) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) and session with configur\$6 with protocol	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 11:40
-	5	(((wireless or cellular or (mobile or portal or portable) adj device) and session near5 configuration) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) and session with configur\$6 with protocol) and (read\$3 or access\$3) near10 (status or state or identification or ID or identity) near5 configur\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 12:07
-	1	(session adj configuration adj protocol) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 12:08
-	784	(manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or switch\$3 or reconfigur\$5 or swap\$4) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 14:05
-	288	(manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or reconfigur\$5) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 12:12
-	13	((manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or reconfigur\$5) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) and (inform or informing or tell\$3 or notifying or notification) near15 (reconfigur\$5 or chang\$3) near5 protocol	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 13:47
-	1	((wireless or cellular or (mobile or portal or portable) adj device) and ((manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or reconfigur\$5) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629))) and (inform or informing or tell\$3 or notifying or notification) near15 (reconfigur\$5 or chang\$3) near5 protocol	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 12:18
-	56	(wireless or cellular or (mobile or portal or portable) adj device) and ((manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or reconfigur\$5) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 14:07
-	22	((wireless or cellular or (mobile or portal or portable) adj device) and ((manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or reconfigur\$5) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629))) and (second or another or other or plurality or multiple) adj3 protocol	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 13:45
-	16104	((714/100) or (714/39) or (714/37) or (714/25) or (714/1) or (713/151) or (713/150) or (710/105) or (710/100) or (710/11) or (710/8) or (710/1) or (709/230) or (709/200) or (379/93.31) or (379/93.28) or (379/93.26) or (379/93.01) or (379/52) or (370/469) or (370/467) or (370/466) or (370/465) or (370/464) or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or (370/351) or (370/310.1) or (370/310)).CCLS.	USPAT; US-PGPUB	2004/09/10 14:57

-	13479	((((714/100) or (714/39) or (714/37) or (714/25) or (714/1) or (713/151) or (713/150) or (710/105) or (710/100) or (710/11) or (710/8) or (710/1) or (709/230) or (709/200) or (379/93.31) or (379/93.28) or (379/93.26) or (379/93.01) or (379/52) or (370/469) or (370/467) or (370/466) or (370/465) or (370/464) or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or (370/351) or (370/310.1) or (370/310)).CCLS.) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 12:34
-	166	((((714/100) or (714/39) or (714/37) or (714/25) or (714/1) or (713/151) or (713/150) or (710/105) or (710/100) or (710/11) or (710/8) or (710/1) or (709/230) or (709/200) or (379/93.31) or (379/93.28) or (379/93.26) or (379/93.01) or (379/52) or (370/469) or (370/467) or (370/466) or (370/465) or (370/464) or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or (370/351) or (370/310.1) or (370/310)).CCLS.) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) and (manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or switch\$3 or reconfigur\$5 or swap\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 14:33
-	197	(((((714/100) or (714/39) or (714/37) or (714/25) or (714/1) or (713/151) or (713/150) or (710/105) or (710/100) or (710/11) or (710/8) or (710/1) or (709/230) or (709/200) or (379/93.31) or (379/93.28) or (379/93.26) or (379/93.01) or (379/52) or (370/469) or (370/467) or (370/466) or (370/465) or (370/464) or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or (370/351) or (370/310.1) or (370/310)).CCLS.) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) and (supervis\$3 or monitor\$3 or manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or switch\$3 or reconfigur\$5 or swap\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 14:06
-	2	(((((714/100) or (714/39) or (714/37) or (714/25) or (714/1) or (713/151) or (713/150) or (710/105) or (710/100) or (710/11) or (710/8) or (710/1) or (709/230) or (709/200) or (379/93.31) or (379/93.28) or (379/93.26) or (379/93.01) or (379/52) or (370/469) or (370/467) or (370/466) or (370/465) or (370/464) or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or (370/351) or (370/310.1) or (370/310)).CCLS.) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) and (supervis\$3 or monitor\$3 or manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or switch\$3 or reconfigur\$5 or swap\$4)) and (inform or informing or tell\$3 or notifying or notification) near15 (reconfigur\$5 or chang\$3) near5 protocol	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 13:47
-	166	(((((714/100) or (714/39) or (714/37) or (714/25) or (714/1) or (713/151) or (713/150) or (710/105) or (710/100) or (710/11) or (710/8) or (710/1) or (709/230) or (709/200) or (379/93.31) or (379/93.28) or (379/93.26) or (379/93.01) or (379/52) or (370/469) or (370/467) or (370/466) or (370/465) or (370/464) or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or (370/351) or (370/310.1) or (370/310)).CCLS.) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) and ((manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or switch\$3 or reconfigur\$5 or swap\$4) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 14:05

-	41	(wireless or cellular or (mobile or portal or portable) adj device) and (((((714/100) or (714/39) or (714/37) or (714/25) or (714/1) or (713/151) or (713/150) or (710/105) or (710/100) or (710/11) or (710/8) or (710/1) or (709/230) or (709/200) or (379/93.31) or (379/93.28) or (379/93.26) or (379/93.01) or (379/52) or (370/469) or (370/467) or (370/466) or (370/465) or (370/464) or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or (370/351) or (370/310.1) or (370/310)).CCLS.) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) and ((manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or switch\$3 or reconfigur\$5 or swap\$4) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 13:44
-	12960	((719/327) or (719/321) or (719/310) or (717/121) or (717/120) or (717/100) or (714/100) or (714/3) or (714/2) or (714/1) or (713/100) or (713/1) or (710/10) or (710/8) or (710/1) or (709/227) or (709/200) or (455/90.2) or (455/73) or (379/434) or (379/428.01) or (379/419) or (379/112.05) or (379/112.01) or (379/111) or (370/254) or (345/965) or (345/961) or (345/735) or (345/734) or (345/733) or (345/700)).CCLS.	USPAT; US-PGPUB	2004/09/10 14:57
-	20955	(((((714/100) or (714/39) or (714/37) or (714/25) or (714/1) or (713/151) or (713/150) or (710/105) or (710/100) or (710/11) or (710/8) or (710/1) or (709/230) or (709/200) or (379/93.31) or (379/93.28) or (379/93.26) or (379/93.01) or (379/52) or (370/469) or (370/467) or (370/466) or (370/465) or (370/464) or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or (370/351) or (370/310.1) or (370/310)).CCLS.) or (((719/327) or (719/321) or (719/310) or (717/121) or (717/120) or (717/100) or (714/100) or (714/3) or (714/2) or (714/1) or (713/100) or (713/1) or (710/10) or (710/8) or (710/1) or (709/227) or (709/200) or (455/90.2) or (455/73) or (379/434) or (379/428.01) or (379/419) or (379/112.05) or (379/112.01) or (379/111) or (370/254) or (345/965) or (345/961) or (345/735) or (345/734) or (345/733) or (345/700)).CCLS.)) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 15:02
-	1136	(((((714/100) or (714/39) or (714/37) or (714/25) or (714/1) or (713/151) or (713/150) or (710/105) or (710/100) or (710/11) or (710/8) or (710/1) or (709/230) or (709/200) or (379/93.31) or (379/93.28) or (379/93.26) or (379/93.01) or (379/52) or (370/469) or (370/467) or (370/466) or (370/465) or (370/464) or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or (370/351) or (370/310.1) or (370/310)).CCLS.) or (((719/327) or (719/321) or (719/310) or (717/121) or (717/120) or (717/100) or (714/100) or (714/3) or (714/2) or (714/1) or (713/100) or (713/1) or (710/10) or (710/8) or (710/1) or (709/227) or (709/200) or (455/90.2) or (455/73) or (379/434) or (379/428.01) or (379/419) or (379/112.05) or (379/112.01) or (379/111) or (370/254) or (345/965) or (345/961) or (345/735) or (345/734) or (345/733) or (345/700)).CCLS.)) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) and (manag\$5 or coordinat\$3 or supervis\$3 or monitor\$3 or conduct\$3 or perform\$3) near10 (configuration or protocol) near5 (alter\$5 or chang\$3 or switch\$3 or reconfigur\$5 or modif\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 15:00
-	7544	((709/220) or (709/221) or (709/222) or (709/228) or (709/229) or (709/230) or (709/239) or (709/250)).CCLS.	USPAT; US-PGPUB	2004/09/10 14:59

-	1482	((((((714/100) or (714/39) or (714/37) or (714/25) or (714/1) or (713/151) or (713/150) or (710/105) or (710/100) or (710/11) or (710/8) or (710/1) or (709/230) or (709/200) or (379/93.31) or (379/93.28) or (379/93.26) or (379/93.01) or (379/52) or (370/469) or (370/467) or (370/466) or (370/465) or (370/464) or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or (370/351) or (370/310.1) or (370/310)).CCLS.) or (((719/327) or (719/321) or (719/310) or (717/121) or (717/120) or (717/100) or (714/100) or (714/3) or (714/2) or (714/1) or (713/100) or (713/1) or (710/10) or (710/8) or (710/1) or (709/227) or (709/200) or (455/90.2) or (455/73) or (379/434) or (379/428.01) or (379/419) or (379/112.05) or (379/112.01) or (379/111) or (370/254) or (345/965) or (345/961) or (345/735) or (345/734) or (345/733) or (345/700)).CCLS.)) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) or (((709/220) or (709/221) or (709/222) or (709/227) or (709/228) or (709/230) or (709/239) or (709/250)).CCLS.)) and (manag\$5 or coordinat\$3 or supervis\$3 or monitor\$3 or conduct\$3 or perform\$3) near10 (configuration or protocol) near5 (alter\$5 or chang\$3 or switch\$3 or reconfigur\$5 or modif\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 15:02
-	3377	((((((714/100) or (714/39) or (714/37) or (714/25) or (714/1) or (713/151) or (713/150) or (710/105) or (710/100) or (710/11) or (710/8) or (710/1) or (709/230) or (709/200) or (379/93.31) or (379/93.28) or (379/93.26) or (379/93.01) or (379/52) or (370/469) or (370/467) or (370/466) or (370/465) or (370/464) or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or (370/351) or (370/310.1) or (370/310)).CCLS.) or (((719/327) or (719/321) or (719/310) or (717/121) or (717/120) or (717/100) or (714/100) or (714/3) or (714/2) or (714/1) or (713/100) or (713/1) or (710/10) or (710/8) or (710/1) or (709/227) or (709/200) or (455/90.2) or (455/73) or (379/434) or (379/428.01) or (379/419) or (379/112.05) or (379/112.01) or (379/111) or (370/254) or (345/965) or (345/961) or (345/735) or (345/734) or (345/733) or (345/700)).CCLS.)) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) and (((709/220) or (709/221) or (709/222) or (709/227) or (709/228) or (709/230) or (709/239) or (709/250)).CCLS.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 15:02
-	255	((((((714/100) or (714/39) or (714/37) or (714/25) or (714/1) or (713/151) or (713/150) or (710/105) or (710/100) or (710/11) or (710/8) or (710/1) or (709/230) or (709/200) or (379/93.31) or (379/93.28) or (379/93.26) or (379/93.01) or (379/52) or (370/469) or (370/467) or (370/466) or (370/465) or (370/464) or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or (370/351) or (370/310.1) or (370/310)).CCLS.) or (((719/327) or (719/321) or (719/310) or (717/121) or (717/120) or (717/100) or (714/100) or (714/3) or (714/2) or (714/1) or (713/100) or (713/1) or (710/10) or (710/8) or (710/1) or (709/227) or (709/200) or (455/90.2) or (455/73) or (379/434) or (379/428.01) or (379/419) or (379/112.05) or (379/112.01) or (379/111) or (370/254) or (345/965) or (345/961) or (345/735) or (345/734) or (345/733) or (345/700)).CCLS.)) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) and (((709/220) or (709/221) or (709/222) or (709/227) or (709/228) or (709/230) or (709/239) or (709/250)).CCLS.)) and (manag\$5 or coordinat\$3 or supervis\$3 or monitor\$3 or conduct\$3 or perform\$3) near10 (configuration or protocol) near5 (alter\$5 or chang\$3 or switch\$3 or reconfigur\$5 or modif\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 15:05

-	54	<p>(((((((714/100) or (714/39) or (714/37) or (714/25) or (714/1) or (713/151) or (713/150) or (710/105) or (710/100) or (710/11) or (710/8) or (710/1) or (709/230) or (709/200) or (379/93.31) or (379/93.28) or (379/93.26) or (379/93.01) or (379/52) or (370/469) or (370/467) or (370/466) or (370/465) or (370/464) or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or (370/351) or (370/310.1) or (370/310)).CCLS.) or (((719/327) or (719/321) or (719/310) or (717/121) or (717/120) or (717/100) or (714/100) or (714/3) or (714/2) or (714/1) or (713/100) or (713/1) or (710/10) or (710/8) or (710/1) or (709/227) or (709/200) or (455/90.2) or (455/73) or (379/434) or (379/428.01) or (379/419) or (379/112.05) or (379/112.01) or (379/111) or (370/254) or (345/965) or (345/961) or (345/735) or (345/734) or (345/733) or (345/700)).CCLS.)) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) and (((709/220) or (709/221) or (709/222) or (709/227) or (709/228) or (709/230) or (709/239) or (709/250)).CCLS.)) and (manag\$5 or coordinat\$3 or supervis\$3 or monitor\$3 or conduct\$3 or perform\$3) near10 (configuration or protocol) near5 (alter\$5 or chang\$3 or switch\$3 or reconfigur\$5 or modif\$7)) and ((alter\$5 or chang\$3 or switch\$3 or reconfigur\$5 or modif\$7) adj10 (configuration or protocol or connection)).ab.ti.</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 15:17
-	15	<p>(((((((714/100) or (714/39) or (714/37) or (714/25) or (714/1) or (713/151) or (713/150) or (710/105) or (710/100) or (710/11) or (710/8) or (710/1) or (709/230) or (709/200) or (379/93.31) or (379/93.28) or (379/93.26) or (379/93.01) or (379/52) or (370/469) or (370/467) or (370/466) or (370/465) or (370/464) or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or (370/351) or (370/310.1) or (370/310)).CCLS.) or (((719/327) or (719/321) or (719/310) or (717/121) or (717/120) or (717/100) or (714/100) or (714/3) or (714/2) or (714/1) or (713/100) or (713/1) or (710/10) or (710/8) or (710/1) or (709/227) or (709/200) or (455/90.2) or (455/73) or (379/434) or (379/428.01) or (379/419) or (379/112.05) or (379/112.01) or (379/111) or (370/254) or (345/965) or (345/961) or (345/735) or (345/734) or (345/733) or (345/700)).CCLS.)) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) and (((709/220) or (709/221) or (709/222) or (709/227) or (709/228) or (709/230) or (709/239) or (709/250)).CCLS.)) and (manag\$5 or coordinat\$3 or supervis\$3 or monitor\$3 or conduct\$3 or perform\$3) near10 (configuration or protocol) near5 (alter\$5 or chang\$3 or switch\$3 or reconfigur\$5 or modif\$7)) and ((alter\$5 or chang\$3 or switch\$3 or reconfigur\$5 or modif\$7) adj10 (configuration or protocol or connection)).ab.ti.) and (lost or fail\$3) near10 (channel or link or connection or communication)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 15:17

903	<p>(((((714/100) or (714/39) or (714/37) or (714/25) or (714/1) or (713/151) or (713/150) or (710/105) or (710/100) or (710/11) or (710/8) or (710/1) or (709/230) or (709/200) or (379/93.31) or (379/93.28) or (379/93.26) or (379/93.01) or (379/52) or (370/469) or (370/467) or (370/466) or (370/465) or (370/464) or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or (370/351) or (370/310.1) or (370/310)).CCLS.) or (((719/327) or (719/321) or (719/310) or (717/121) or (717/120) or (717/100) or (714/100) or (714/3) or (714/2) or (714/1) or (713/100) or (713/1) or (710/10) or (710/8) or (710/1) or (709/227) or (709/200) or (455/90.2) or (455/73) or (379/434) or (379/428.01) or (379/419) or (379/112.05) or (379/112.01) or (379/111) or (370/254) or (345/965) or (345/961) or (345/735) or (345/734) or (345/733) or (345/700)).CCLS.)) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) or (((709/220) or (709/221) or (709/222) or (709/227) or (709/228) or (709/230) or (709/239) or (709/250)).CCLS.)) and ((alter\$5 or chang\$3 or switch\$3 or reconfigur\$5 or modif\$7) adj10 (configuration or protocol or connection)).ab,ti.</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 15:54
187	<p>(((((714/100) or (714/39) or (714/37) or (714/25) or (714/1) or (713/151) or (713/150) or (710/105) or (710/100) or (710/11) or (710/8) or (710/1) or (709/230) or (709/200) or (379/93.31) or (379/93.28) or (379/93.26) or (379/93.01) or (379/52) or (370/469) or (370/467) or (370/466) or (370/465) or (370/464) or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or (370/351) or (370/310.1) or (370/310)).CCLS.) or (((719/327) or (719/321) or (719/310) or (717/121) or (717/120) or (717/100) or (714/100) or (714/3) or (714/2) or (714/1) or (713/100) or (713/1) or (710/10) or (710/8) or (710/1) or (709/227) or (709/200) or (455/90.2) or (455/73) or (379/434) or (379/428.01) or (379/419) or (379/112.05) or (379/112.01) or (379/111) or (370/254) or (345/965) or (345/961) or (345/735) or (345/734) or (345/733) or (345/700)).CCLS.)) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) or (((709/220) or (709/221) or (709/222) or (709/227) or (709/228) or (709/230) or (709/239) or (709/250)).CCLS.)) and ((alter\$5 or chang\$3 or switch\$3 or reconfigur\$5 or modif\$7) adj10 (configuration or protocol or connection)).ab,ti.) and (lost or fail\$3) near10 (channel or link or connection or communication)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 13:47
0	<p>(((((714/100) or (714/39) or (714/37) or (714/25) or (714/1) or (713/151) or (713/150) or (710/105) or (710/100) or (710/11) or (710/8) or (710/1) or (709/230) or (709/200) or (379/93.31) or (379/93.28) or (379/93.26) or (379/93.01) or (379/52) or (370/469) or (370/467) or (370/466) or (370/465) or (370/464) or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or (370/351) or (370/310.1) or (370/310)).CCLS.) or (((719/327) or (719/321) or (719/310) or (717/121) or (717/120) or (717/100) or (714/100) or (714/3) or (714/2) or (714/1) or (713/100) or (713/1) or (710/10) or (710/8) or (710/1) or (709/227) or (709/200) or (455/90.2) or (455/73) or (379/434) or (379/428.01) or (379/419) or (379/112.05) or (379/112.01) or (379/111) or (370/254) or (345/965) or (345/961) or (345/735) or (345/734) or (345/733) or (345/700)).CCLS.)) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) or (((709/220) or (709/221) or (709/222) or (709/227) or (709/228) or (709/230) or (709/239) or (709/250)).CCLS.)) and ((receiv\$3 or detect\$3) adj3 (requirement or need) with (alter\$5 or chang\$3 or switch\$3 or reconfigur\$5 or modif\$7) adj10 (configuration or protocol or connection)).ab,ti.</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 15:32

	0	<p>((((((714/100) or (714/39) or (714/37) or (714/25) or (714/1) or (713/151) or (713/150) or (710/105) or (710/100) or (710/11) or (710/8) or (710/1) or (709/230) or (709/200) or (379/93.31) or (379/93.28) or (379/93.26) or (379/93.01) or (379/52) or (370/469) or (370/467) or (370/466) or (370/465) or (370/464) or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or (370/351) or (370/310.1) or (370/310)).CCLS.) or (((719/327) or (719/321) or (719/310) or (717/121) or (717/120) or (717/100) or (714/100) or (714/3) or (714/2) or (714/1) or (713/100) or (713/1) or (710/10) or (710/8) or (710/1) or (709/227) or (709/200) or (455/90.2) or (455/73) or (379/434) or (379/428.01) or (379/419) or (379/112.05) or (379/112.01) or (379/111) or (370/254) or (345/965) or (345/961) or (345/735) or (345/734) or (345/733) or (345/700)).CCLS.)) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) or (((709/220) or (709/221) or (709/222) or (709/227) or (709/228) or (709/230) or (709/239) or (709/250)).CCLS.)) and ((receiv\$3 or detect\$3) adj3 (requirement or need) with (alter\$5 or chang\$3 or switch\$3 or reconfigur\$5 or modif\$7 or reestablish\$3 or re-establish\$3) adj10 (configuration or protocol or connection)).ab.ti.</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	2004/09/10 15:32
	161	<p>((((((714/100) or (714/39) or (714/37) or (714/25) or (714/1) or (713/151) or (713/150) or (710/105) or (710/100) or (710/11) or (710/8) or (710/1) or (709/230) or (709/200) or (379/93.31) or (379/93.28) or (379/93.26) or (379/93.01) or (379/52) or (370/469) or (370/467) or (370/466) or (370/465) or (370/464) or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or (370/351) or (370/310.1) or (370/310)).CCLS.) or (((719/327) or (719/321) or (719/310) or (717/121) or (717/120) or (717/100) or (714/100) or (714/3) or (714/2) or (714/1) or (713/100) or (713/1) or (710/10) or (710/8) or (710/1) or (709/227) or (709/200) or (455/90.2) or (455/73) or (379/434) or (379/428.01) or (379/419) or (379/112.05) or (379/112.01) or (379/111) or (370/254) or (345/965) or (345/961) or (345/735) or (345/734) or (345/733) or (345/700)).CCLS.)) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) or (((709/220) or (709/221) or (709/222) or (709/227) or (709/228) or (709/230) or (709/239) or (709/250)).CCLS.)) and ((receiv\$3 or detect\$3) with (alter\$5 or chang\$3 or switch\$3 or reconfigur\$5 or modif\$7 or reestablish\$3 or re-establish\$3) adj10 (configuration or protocol or connection)).ab.ti.</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	2004/09/10 15:33

	30	<p>((((((((714/100) or (714/39) or (714/37) or (714/25) or (714/1) or (713/151) or (713/150) or (710/105) or (710/100) or (710/11) or (710/8) or (710/1) or (709/230) or (709/200) or (379/93.31) or (379/93.28) or (379/93.26) or (379/93.01) or (379/52) or (370/469) or (370/467) or (370/466) or (370/465) or (370/464) or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or (370/351) or (370/310.1) or (370/310)).CCLS.) or (((719/327) or (719/321) or (719/310) or (717/121) or (717/120) or (717/100) or (714/100) or (714/3) or (714/2) or (714/1) or (713/100) or (713/1) or (710/10) or (710/8) or (710/1) or (709/227) or (709/200) or (455/90.2) or (455/73) or (379/434) or (379/428.01) or (379/419) or (379/112.05) or (379/112.01) or (379/111) or (370/254) or (345/965) or (345/961) or (345/735) or (345/734) or (345/733) or (345/700)).CCLS.)) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) or (((709/220) or (709/221) or (709/222) or (709/227) or (709/228) or (709/230) or (709/239) or (709/250)).CCLS.)) and ((alter\$5 or chang\$3 or switch\$3 or reconfigur\$5 or modif\$7) adj10 (configuration or protocol or connection)).ab.ti.) and (lost or fail\$3) near10 (channel or link or connection or communication)) and (((((((714/100) or (714/39) or (714/37) or (714/25) or (714/1) or (713/151) or (713/150) or (710/105) or (710/100) or (710/11) or (710/8) or (710/1) or (709/230) or (709/200) or (379/93.31) or (379/93.28) or (379/93.26) or (379/93.01) or (379/52) or (370/469) or (370/467) or (370/466) or (370/465) or (370/464) or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or (370/351) or (370/310.1) or (370/310)).CCLS.) or (((719/327) or (719/321) or (719/310) or (717/121) or (717/120) or (717/100) or (714/100) or (714/3) or (714/2) or (714/1) or (713/100) or (713/1) or (710/10) or (710/8) or (710/1) or (709/227) or (709/200) or (455/90.2) or (455/73) or (379/434) or (379/428.01) or (379/419) or (379/112.05) or (379/112.01) or (379/111) or (370/254) or (345/965) or (345/961) or (345/735) or (345/734) or (345/733) or (345/700)).CCLS.)) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) or (((709/220) or (709/221) or (709/222) or (709/227) or (709/228) or (709/230) or (709/239) or (709/250)).CCLS.)) and ((receiv\$3 or detect\$3) with (alter\$5 or chang\$3 or switch\$3 or reconfigur\$5 or modif\$7 or reestablish\$3 or re-establish\$3) adj10 (configuration or protocol or connection)).ab.ti.)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 15:33
	32	<p>((((((((714/100) or (714/39) or (714/37) or (714/25) or (714/1) or (713/151) or (713/150) or (710/105) or (710/100) or (710/11) or (710/8) or (710/1) or (709/230) or (709/200) or (379/93.31) or (379/93.28) or (379/93.26) or (379/93.01) or (379/52) or (370/469) or (370/467) or (370/466) or (370/465) or (370/464) or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or (370/351) or (370/310.1) or (370/310)).CCLS.) or (((719/327) or (719/321) or (719/310) or (717/121) or (717/120) or (717/100) or (714/100) or (714/3) or (714/2) or (714/1) or (713/100) or (713/1) or (710/10) or (710/8) or (710/1) or (709/227) or (709/200) or (455/90.2) or (455/73) or (379/434) or (379/428.01) or (379/419) or (379/112.05) or (379/112.01) or (379/111) or (370/254) or (345/965) or (345/961) or (345/735) or (345/734) or (345/733) or (345/700)).CCLS.)) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) or (((709/220) or (709/221) or (709/222) or (709/227) or (709/228) or (709/230) or (709/239) or (709/250)).CCLS.)) and ((receiv\$3 or detect\$3) with (alter\$5 or chang\$3 or switch\$3 or reconfigur\$5 or modif\$7 or reestablish\$3 or re-establish\$3) adj10 (configuration or protocol or connection)).ab.ti.)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 15:54
	4730	<p>((713/1) or (713/2) or (713/100) or (709/220) or (709/221) or (709/222)).CCLS.</p>	USPAT; US-PGPUB	2004/09/13 13:36

-	3759	((((713/1) or (713/2) or (713/100) or (709/220) or (709/221) or (709/222)).CCLS.) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 13:46
-	15	(((((713/1) or (713/2) or (713/100) or (709/220) or (709/221) or (709/222)).CCLS.) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) and (alter\$5 or chang\$3 or switch\$3 or reconfigur\$5 or modif\$7) adj10 (configuration or protocol or connection).ab.ti. and (lost or fail\$3) near10 (channel or link or connection or communication)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 13:47
-	19	(((((713/1) or (713/2) or (713/100) or (709/220) or (709/221) or (709/222)).CCLS.) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) and (alter\$5 or chang\$3 or switch\$3 or reconfigur\$5 or modif\$7) adj10 (configuration or protocol or connection).ab.ti. and (lost or fail\$3 or broken) near10 (channel or link or connection or communication)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 13:48
-	2	session adj configuration and answer\$3 adj protocol	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 12:33
-	2	session adj configuration and respon\$4 adj protocol	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 12:34
-	0	(session adj configuration and respon\$4 adj protocol) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 12:34
-	279	((wireless or cellular or (mobile or portal or portable) adj device) and session near5 configuration) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 13:38
-	105	((((wireless or cellular or (mobile or portal or portable) adj device) and session near5 configuration) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) and configuration adj5 (manag\$5 or unit or component)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 14:23
-	0	((((wireless or cellular or (mobile or portal or portable) adj device) and session near5 configuration) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) and (fail\$3 or brok\$2 or lost or disconnect\$3 or disrupt\$4) near5 (during or while or when) adj5 initia\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 13:41
-	0	((((wireless or cellular or (mobile or portal or portable) adj device) and session near5 configuration) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) and (fail\$3 or brok\$2 or lost or disconnect\$3 or disrupt\$4) near5 (during or while or when) near15 initia\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 13:41
-	37	((((wireless or cellular or (mobile or portal or portable) adj device) and session near5 configuration) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) and (fail\$3 or brok\$2 or lost or disconnect\$3 or disrupt\$4) near15 initia\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 13:42
-	19	(((((wireless or cellular or (mobile or portal or portable) adj device) and session near5 configuration) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) and configuration adj5 (manag\$5 or unit or component)) and (fail\$3 or brok\$2 or lost or disconnect\$3 or disrupt\$4) near15 initia\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 14:07

-	0	(((wireless or cellular or (mobile or portal or portable) adj device) and session near5 configuration) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) and configuration adj5 (manag\$5 or unit or component)) and (prevent\$3 or avoid\$3) near15 (trap\$4 or entrap\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 14:23
-	2	(((wireless or cellular or (mobile or portal or portable) adj device) and session near5 configuration) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) and configuration adj5 (manag\$5 or unit or component) near20 configur\$3 adj10 (terminal or device)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 14:24